

Terrestrial Biodiversity Assessment

Parsonsvlei Erven 984 & 1134

Date: 29/07/2025 Version: Draft Author: J. Pote

Terrestrial Biodiversity Assessment

Parsonsvlei Erven 984 & 1134

Compiled by: Jamie Pote (Pr. Sci. Nat.)

Postnet Suite 57, Private Bag X13130, Humewood, Port Elizabeth, 6013, South Africa

jamiepote@live.co.za +27 (0)76 888 9890

Compiled for: Engineering Advice & Services

Date of report: 29/07/2025

Draft Report

This Report has been prepared with all reasonable skill, care and diligence within the scope of appointment by Mr Jamie Pote, with consideration to the resources devoted to it by agreement with the client, incorporating our Standard Terms and Conditions of Business. This Report is prepared exclusively for use by the client, and the author disclaims any liability in respect of its use by any party other than the client and for the purpose for which it was written. The Report is subject to all the copyright and intellectual property laws and practices of South Africa and contains intellectual property and proprietary information that is protected by such copyright in favour of the author. No person, other than the client, may reproduce, distribute to any third party, or rely on the content of any portion of this report, without the prior written consent of the author.

The author accepts no responsibility of whatsoever nature to third parties to whom this Report, or any part thereof, is made known. Any such persons or parties rely on the report at their own risk.

Revisions

Report/Revision Version	Date:	Approved by:
First Draft	2025/07/29	Jamie Pote
Revisions/Comments		
Final Draft		
IAP comments		
Final Version		

Table of Contents

R	evision	1S	ii
T	able of	f Contents	i
Li	st of Fig	igures	i
Li		ables	
1	Intro	roduction and Background	1
	1.1	Activity Location and Description	1
	1.2	Purpose of Report	
	1.3	Data sources and references	
	1.4	Site visit	3
	1.5	Assumptions, Uncertainties and Gaps in Knowledge	4
2	Nati	tional Environmental Screening Tool	4
	2.1	Findings, Outcomes and Recommendations	5
	2.1.1	1 Terrestrial Biodiversity	5
	2.1.2		_
	2.1.3		
	2.1.4		
	2.2	Conclusions	8
3	App	pendices	12
,			
	3.1	Appendix 2: Site Photos	
	3.2	Appendix 2: Declaration, Specialist Profile and Registration	
	3.3	Appendix 3: Protocol for the Specialist Assessment and Minimum Report Con- irements for Environmental Impacts on Terrestrial Biodiversity	
ı	ist (of Figures	
	_	: Site locality	
	_	: Site locality aerial photo	
	_	: Terrestrial Biodiversity Sensitivity	
	•	: Plant Species Sensitivity	_
	_	: Animal Species Sensitivity : Aquatic Sensitivity	
	_	: Eastern Cape Biodiversity Sector Plan (2019) – site does overlap with ESA designated area	_
	•	s: Protected Areas and NPAES in vicinity	-
	_	rotected Areas and NPAES III vicinity Bix Rivers, Wetlands, Estuaries, FEPAs & SWSA's	_
	_	o: Distribution Records of Flora and Fauna Species of Conservation Concern	
	_	1: Mapped Vegetation and Sensitivity (no change from 2020 assessment)	
•	84.6		
L	.ist o	of Tables	
T:	able 1: S	Summary of Screening tool designations	
		Terrestrial Biodiversity Features flagged in the National Environmental Screening Tool	
		Flora Species of Special Concern	
		Fauna Species of Special Concern (SCC)	

1 Introduction and Background

Engineering Advice & Services have been appointed to undertake a Basic Assessment process for an application on Erven 984 & 1134, Parsonsvlei, Nelson Mandela Bay, Eastern Cape province (Figure 1). The proposed activity requires environmental authorisation as per regulations contained in the National Environmental Management Act (NEMA Act No. 107 of 1998) and the Environmental Impact Assessment Regulations (2014), as amended. As part of this environmental application process, a terrestrial biodiversity Assessment is required. A previous assessment was conducted in 2020 by the author while in the employ of Engineering Advise and Services. Subsequent to this, the environmental authorisation has lapsed, and a new application is being submitted, which requires a revision of the terrestrial biodiversity assessment.




Figure 1: Site locality.

1.1 Activity Location and Description

The Erven are situated in Nelson Mandela Bay (Gqebera) in the suburb Parsonsvlei, situated on the north-west side of the metro. The specific properties are bounded by Cape Road on the north side and developed erven on the east side of Erf 984 and the south side of Erf 1134. The west and south sides of Erf 984 is adjacent to undeveloped land (Figure 2).



Figure 2: Site locality aerial photo.

1.2 Purpose of Report

The "Procedures for the Assessment and Minimum Criteria for Reporting on Identified Environmental Themes in terms of sections 24 (5) (a) and (h) and 44 of the Act, when applying for Environmental Authorisation", as published on 20 March, 2020 in National Gazette, No. 43110 in terms of NEMA (Act 107 of 1998) sections 24(5)(a), (h) and 44, lists protocols and minimum report requirements for environmental impacts on terrestrial biodiversity and provides the criteria for the assessment and reporting of impacts on terrestrial biodiversity for activities requiring environmental authorisation. The assessment and minimum reporting requirements of this protocol are associated with a level of environmental sensitivity identified by the National web based Environmental Screening Tool. Prior to commencing with a specialist assessment, the current use of the land and the environmental sensitivity of the site under consideration, identified by the screening tool, must be confirmed by undertaking a site sensitivity verification, which must include the following.

- 1. The site sensitivity verification must be undertaken by an environmental assessment practitioner or a specialist.
- 2. The site sensitivity verification must be undertaken through the use of:
 - a. a desk top analysis, using satellite imagery.
 - b. a preliminary on -site inspection; and
 - c. any other available and relevant information.
- 3. The outcome of the site sensitivity verification must be recorded in the form of a report that:
 - a. confirms or disputes the current use of the land and environmental sensitivity as identified by the screening tool.
 - b. contains a motivation and evidence of either the verified or different use of the land and environmental sensitivity; and

c. is submitted together with the relevant assessment report prepared in accordance with the requirements of the Environmental Impact Assessment Regulations.

The National Web Based Screening Tool was used to generate the potential environmental sensitivity of the site which has then been compared to various online and other databases and information sources in order to verify and confirm the validity of the screening tool findings. This was further supported with on-site observations and analysis of most recent aerial photography.

This terrestrial biodiversity site verification has been undertaken as per the requirements of the Procedures for the assessment and minimum criteria for reporting on identified environmental themes in terms of sections 24(5)(a) and (h) and 44 of the National Environmental Management Act, 1998, when applying for environmental authorisation (GN 320, 20 March 2020).

1.3 Data sources and references

Data sources that were utilised for this report include the following:

- National (DFFE) Web Based Screening Tool to generate the sites potential environmental sensitivity.
- National Vegetation Map 2018 (NVM, 2018), Mucina & Rutherford (2006) and National Biodiversity Assessment (NBA, 2019) description of vegetation types, species (including endemic) and vegetation unit conservation status.
- National and Regional Legislation including Provincial Nature Conservation Ordinance (P.N.C.O). NEM:BA Threatened or Protected Species (ToPS).
- Botanical Database of Southern Africa (BODATSA) and New Plants of Southern Africa (POSA)
 lists of plant species and potential species of concern found in the general area (SANBI.)
- International Union for Conservation of Nature (IUCN) Red List of Threatened Species.
- Animal Demography Unit Virtual Museum (VM) potential faunal species.
- Global Biodiversity Information Facility (GBIF) potential faunal species.
- Southern African Bird Atlas Project 2 (SABAP2) for bird species records.
- National Red Books and Lists mammals, reptiles, frogs, dragonflies & butterflies.
- National Freshwater Ecosystem Priority Areas assessment (NFEPA, 2011) important catchments.
- National Protected Areas Expansion Strategy (NPAES, 2018) and South Africa Protected Area database (2020) protected area information.
- SANBI BGIS All other biodiversity GIS datasets.
- Eastern Cape Biodiversity Conservation Plan.
- Aerial Imagery Google Earth, ESRI, Chief Surveyor General (http://csg.dla.gov.za).
- Cadastral and other topographical country data Chief Surveyor General (http://csg.dla.gov.za).
- Other sources include peer-reviewed journals, regional and local assessments, and studies in the general location of the project and its area of influence, landscape prioritization schemes (Key Biodiversity Areas), systematic conservation planning assessments and plans (as above), and any pertinent masters and doctoral theses, among others.

1.4 Site visit

A site inspection was conducted on **29 July 2025**, during mid-winter. The site falls within a bimodal (summer and winter) rainfall area and for the purposes of this report, a single site visit is deemed to be adequate, specifically due to the disturbed nature of the site. The site visit and assessment are undertaken by Mr Jamie Pote, SACNASP registered ecological scientist with a BSc (Hons) degree in Botany and a BSc degree in Botany and environmental Science, with over 20 years' experience undertaking ecological and terrestrial biodiversity assessments in all habitats and vegetation biomes across Southern, Western & Central Africa.

1.5 Assumptions, Uncertainties and Gaps in Knowledge

The findings and recommendations of this report may be susceptible to the following uncertainties and limitation:

- No assessment has been made of aquatic aspects relating to any wetlands, pans and rivers/seeps and/or estuaries outside of the scope of a terrestrial biodiversity report and have been undertaken by an aquatic specialist.
- Any biodiversity surveys based upon a limited sampling time-period, may not reflect the actual species composition of the site due to seasonal variations in flowering times.
- As far as possible, site collected data has been supplemented with desktop and database-centred distribution data as well as previous studies undertaken in the area.

2 National Environmental Screening Tool

The DEA Screening Tool (20/05/2025) indicates the following, summarised in Table 1:

- Terrestrial Biodiversity is Very High (Figure 3).
- Plant species sensitivity is Medium (Figure 4).
- Animal Species sensitivity is Medium /High (Figure 5).
- Aquatic Sensitivity is Very High (Figure 6).

Table 1: Summary of Screening tool designations.

Terrestrial Sensitivity	Feature(s) in proximity
Very High	Critically Endangered (Algoa Sandstone Fynbos)
High	None
Medium	None
Low	Present
Plant Sensitivity	Feature(s) in proximity
Very High	None
High	None
Medium	Argyrolobium crassifolium, Aspalathus recurvispina, Lotononis acuminata, Selago rotundifolia, Erica chloroloma, Erica zeyheriana, Gymnosporia elliptica, Centella tridentata var. hermanniifolia, Rapanea gilliana, Holothrix longicornu, Agathosma gonaquensis, Agathosma stenopetala, Corpuscularia lehmannii, Ellisochloa papposa, Caputia scaposa var. addoensis, Aristea nana, Bobartia macrocarpa, Erica glumiflora, Disperis woodii, Sensitive species 1252, 991, 588, 657, 670, 448 & 654
Low	Present
Animal Sensitivity	Feature(s) in proximity
Very High	None
High	Tyto capensis, Circus ranivorus, Bradypterus sylvaticus, Circus maurus & Neotis denhami (birds)
	Afrotis afra, Eupodotis senegalensis (birds), Sensitive species 5, Chlorotalpa duthieae, Sensitive species 8 (mammals) & Aneuryphymus montanus (invertebrate)
Low	Present
Aquatic Sensitivity	Feature(s) in proximity
Very High	ESA 1
High	None
Medium	None
Medium	Tone



Figure 3: Terrestrial Biodiversity Sensitivity




Figure 4: Plant Species Sensitivity



Figure 5: Animal Species Sensitivity



Figure 6: Aquatic Sensitivity

2.1 Findings, Outcomes and Recommendations

2.1.1 Terrestrial Biodiversity

Site verification of the Terrestrial Biodiversity sensitivities is summarised in Table 2 and depicted in Figure 7.

Table 2: Terrestrial Biodiversity Features flagged in the National Environmental Screening Tool.

Table 2. Terrestrial Blodiversity Features Jiagged in the National Environmental Screening Tool.				
Feature		COMMENT		
Algoa Sandstone Fynbos	Endange red	Partly Dispute – Both sites are significantly transformed where the dominant vegetation is a secondary grassland with only a small patch <1 Ha with some remnant but significantly degraded Sand Fynbos elements. This island of remnant vegetation is not of significant ecological value as it is surrounded by secondary grassland habitat, and the conservation and ecological value is limited. The remaining Sand Fynbos elements are also not completely representative of a natural or near natural vegetation community typical of the vegetation unit.		
Critical Biodiversity Area	CBA 1	<u>Confirm</u> – No CBA designated area overlapping the site. Ther remnant Sand Fynbos elements do not provide a significant conservation opportunity.		

Feature		COMMENT	
Ecological Support Area	ESA	Confirm – No ESA designated area overlapping the site. The remnant Sand Fynbos elements do not provide a significant opportunity for ecological corridors or retention of ecological processes.	

The SSVR partly thus disputes the flagged VERY HIGH Terrestrial Biodiversity designation, and the specialist designates a LOW sensitivity. Both sites are significantly transformed with moderate to dense alien invasion (Acacia saligna) and a secondary grassland vegetation with only a few sporadic elements that would suggest historical occurrence of Sand Fynbos. The small remnant patch (<1 Ha) of degraded Sand Fynbos on Erf 984 is also limited ito conservation value and would not be considered to be of value to retain as it is ecologically disconnected from any viable Sanf Fynbos habitat and the species composition is such that only a few species typical of the unit remain. The proposed development of the sites will not result in a significant loss of natural vegetation nor any significant impact to conservation targets and/or ecological processes. Furthermore, the remnant pocket has not significantly changed since the original assessment was conducted in 2020.

2.1.2 Plant Species (Flora)

National Environmental Screening Tool flagged numerous flora species. None of these were found to present during the original assessment conducted in 2020 and none were found during this follow up assessment in July 2025. Most of the sites are comprised of secondary grassy vegetation and/or moderate to dense alien invasion, with only a small pocket with of degraded Sand Fynbos elements that would not support any viable population of any species of conservation concern.

Red Listed, Endemic and Protected Flora

The site falls within the general distribution range of several endemic species and other species with a highly localised distribution, some of which are Critically Endangered, Endangered, Vulnerable or Rare. Some of these species are only known from a single or a few populations. Several endemic species were recorded and are listed below; however, all of these are confirmed to have a wider distribution range and are not deemed to be at risk. Species (Table 3) were flagged from various database sources as occurring in the region as having an elevated status, and possibly present in the area, vegetation type or are associated with features that are present (such as host plant species). All were cross checked for distribution overlay and were actively screened for presence/absence on site. Other species may be endemic, but distribution range has been checked and are generally widespread. Respective permits will be required for removal during site clearing.

Table 3: Flora Species of Special Concern

raise y. Hera species of species.					
SCIENTIFIC NAME	STATUS ¹	COMMENT/PRESENCE			
Agathosma gonaquensis	NEST (M)	Not recorded			
Agathosma stenopetala	NEST (M)	Not recorded			
Argyrolobium crassifolium	NEST (M)	Not recorded			
Aristea nana	NEST (M)	Not recorded			
Aspalathus recurvispina	NEST (M)	Not recorded			
Bobartia macrocarpa	NEST (M)	Not recorded			
Caputia scaposa addoensis	NEST (M)	Not recorded			

¹ PNCO - Provincial Nature Conservation Ordinance (1974); NFA - National Forests Act of (1998); ToPS – Threatened or Protected Species; IUCN: CR - Critically - Endangered, En - Endangered, Vu - Vulnerable; LC - Least Concern.

6

SCIENTIFIC NAME	STATUS ¹	COMMENT/PRESENCE
Centella tridentata hermanniifolia	NEST (M)	Not recorded
Corpuscularia lehmannii	NEST (M)	Not recorded
Disperis woodii	NEST (M)	Not recorded
Ellisochloa papposa	NEST (M)	Not recorded
Erica chloroloma	NEST (M)	Not recorded
Erica glumiflora	NEST (M)	Not recorded
Erica zeyheriana	NEST (M)	Not recorded
Gymnosporia elliptica	NEST (M)	Not recorded
Holothrix longicornu	NEST (M)	Not recorded
Lotononis acuminata	NEST (M)	Not recorded
Rapanea gilliana	NEST (M)	Not recorded
Selago rotundifolia	NEST (M)	Not recorded
Sensitive species 1252	NEST (M)	Not recorded
Sensitive species 448	NEST (M)	Not recorded
Sensitive species 588	NEST (M)	Not recorded
Sensitive species 654	NEST (M)	Not recorded
Sensitive species 657	NEST (M)	Not recorded
Sensitive species 670	NEST (M)	Not recorded
Sensitive species 991	NEST (M)	Not recorded

As per Table 3, no Endangered or Critically Endangered flora species were confirmed to be present nor known to be present in the affected area. PNCO (Provincial Nature Conservation Ordinance) permits may be required as species protected ito the PNCO are present.

The SSVR thus disputes the flagged flora ('plant') Species of Conservation Concern and MEDIUM plant species designations, and a specialist flora (plant) species sensitivity of LOW is allocated.

2.1.3 Animal Species (Fauna)

National Environmental Screening Tool flagged several fauna species. The entire footprint is situated within transformed and degraded habitat and the faunal species flagged will not be affected, due to the limited footprint and extensive more suitable habitat being present in the surrounding area.

Red Listed and Protected Fauna

As per Table 4, no Endangered or Critically fauna species were found to be present nor likely to be affected by the scale of activity, although some may occur as transient visitors as they are known form the broader area and are mobile species (i.e. birds and a small mammal). No faunal species of conservation concern is thus likely to be directly or indirectly affected significantly by the proposed activity. Suitable habitat for these species is well represented in the surrounding area and in lieu of the limited size of the development footprint, no significant risk to these species if they do visit in a transient manner.

Table 4: Fauna Species of Special Concern (SCC)

SCIENTIFIC NAME	COMMON NAME	STATUS ²	COMMENT/PRESENCE
Mammals			

² PNCO - Provincial Nature Conservation Ordinance (1974); ToPS – Threatened or Protected Species

SCIENTIFIC NAME	COMMON NAME	STATUS ²	COMMENT/PRESENCE	
Sensitive species 8		NEST (M)	Unlikely to occur on site surrounded by urban development. Not recorded	
Sensitive Species 5		NEST (M)	Unlikely to occur on site surrounded by urban development. Not recorded	
Chlorotalpa duthieae		NEST (M)	Unlikely to occur on site surrounded by urban development. Not recorded	
Birds				
Bradypterus sylvaticus	Knysna warbler	NEST (H)		
Afrotis afra		NEST (M)		
Circus maurus	Black Harrier	NEST (H)	NAb. a tomorrismt sinit out the construct of	
Circus ranivorus		(NEST (H)	May be a transient visitor to the area, not at	
Eupodotis senegalensis		NEST (M)	risk from the scale of the proposed activity and small site surrounded by urban	
Hydroprogne caspia	Caspian Tern	NEST (H)	development does not provide irreplaceable	
Neotis denhami		NEST (H)	habitat.	
Stephanoaetus coronatus	Crowner Eagle	NEST (H)	Habitat.	
Tyto capensis		NEST (H)		
Reptiles				
None of concern flagged				
Amphibians				
None of concern flagged				
Invertebrates				
Aneuryphymus montanus	Yellow-winged Agile Grasshopper	NEST (M)	No suitable habitat present, outside of known range. Not present.	

The SSVR thus disputes the flagged fauna ('animal') species of conservation concern and MEDIUM animal species designations, and a specialist faunal (animal) species sensitivity of LOW is allocated.

2.1.4 Aquatic

Refer to Aquatic Assessment report. No impact of consequence is expected to any terrestrial features associated with any aquatic habitat, none of which was identified on site.

2.2 Conclusions

The site verification thus confirms that while property does fall within the broader Algoa Sandstone Fynbos area, most of the vegetation on site is transformed and/or secondary with moderate to dense alien invasion and only a small pocket (<1Ha) having remnant Algoa Sand Fynbos element. The remnant pocket is degraded and does not provide significant ecological value. The heavily degraded and invaded nature of the habitat is also unlikely to provide suitable permanent or sustainable habitat for any flagged fauna species of conservation concern and no flagged plant species of conservation concern were recorded nor are likely to occur. Any species of Conservation Concern that are present, should be relocated (with appropriate permits) into an area that provides better conservation and ecological opportunity rather than a small, isolated site surrounded by urban development.

The findings of this SSVR do not differ significantly from the assessment conducted in 2020 and the findings and recommendations of that report are deemed to still be valid and applicable. Since the findings are comparable and no change in impact or mitigation has been identified, it is concluded that no additional assessment or reporting is required over and above the 2020 report.




Figure 7: Eastern Cape Biodiversity Sector Plan (2019) – site does overlap with ESA designated areas.



Figure 8: Protected Areas and NPAES in vicinity.




Figure 9: Rivers, Wetlands, Estuaries, FEPAs & SWSA's.



Figure 10: Distribution Records of Flora and Fauna Species of Conservation Concern.



Figure 11: Mapped Vegetation and Sensitivity (no change from 2020 assessment).

3 Appendices

3.1 Appendix 2: Site Photos









3.2 Appendix 2: Declaration, Specialist Profile and Registration



DETAILS OF SPECIALIST AND DECLARATION OF INTEREST IN TERMS OF REGULATIONS 12 AND 13 OF THE AMENDMENTS TO THE ENVIRONMENTAL IMPACT ASSESSMENT REGULATIONS, 2014 AS AMENDED.

		(For official use	e only)	
File Reference Number:				
NEAS Reference Number:		<u> </u>		
Date Received:				
				nagement Act, 1998 (Act No. 107 of egulations, 2014. This form is valid as
PROJECT TITLE				
SPECIALIST 1	Mr Jamie Pote			
Contact person:	Mr Jamie Pote			
Postal address:	Postnet Suite 57, Priva	ate Bag X13130	, Humewood	
Postal code:	6013		Cell:	
Telephone:			Fax:	
E-mail:	jamiepote@live.co.za			
Professional affiliation(s) (if any)	SACNASP (115233), I	AIAsa (5045)		
Project Consultant:	Engineering Advice an	d Services (Pty)) Ltd	
Contact person:				
Postal address:	PO Box 13867, Hume	wood		
Postal code:	6013		Cell:	
Telephone: E-mail:			Fax:	

Version 1 October 01 2022

4.2 The SPECIALIST

I. Mr Jamie Pote, declare that -

General declaration:

- I act as the independent Specialist in this application
- I will perform the work relating to the application in an objective manner, even if this results in views and findings that are not favourable to the applicant
- I declare that there are no circumstances that may compromise my objectivity in performing such work;
- I have expertise in conducting the assessments for which I am a specialist, including knowledge of the Act, regulations and any guidelines that have relevance to the proposed activity;
- I will comply with the Act, regulations and all other applicable legislation;
- I will take into account, to the extent possible, the matters listed in regulation 8 of the regulations when preparing the application and the Specialist report relating to the application;
- I have no, and will not engage in, conflicting interests in the undertaking of the activity;
- I undertake to disclose to the applicant and the competent authority all material information in my possession that
 reasonably has or may have the potential of influencing any decision to be taken with respect to the application by
 the competent authority; and the objectivity of any report, plan or document to be prepared by myself for submission
 to the competent authority;
- I will ensure that information containing all relevant facts in respect of the application is distributed or made available
 to interested and affected parties and the public and that participation by interested and affected parties is facilitated
 in such a manner that all interested and affected parties will be provided with a reasonable opportunity to participate
 and to provide comments on documents that are produced to support the application;
- I will ensure that the comments of all interested and affected parties are considered and recorded in reports that are submitted to the competent authority in respect of the application, provided that comments that are made by interested and affected parties in respect of a final report that will be submitted to the competent authority may be attached to the report without further amendment to the report;
- I will keep a register of all interested and affected parties that participated in a public participation process; and
- I will provide the competent authority with access to all information at my disposal regarding the application, whether such information is favourable to the applicant or not
- all the particulars furnished by me in this form are true and correct;
- will perform all other obligations as expected from a Specialist in terms of the Regulations; and
- I realise that a false declaration is an offence and is punishable in terms of section 24F of the Act.

Disclosure of Vested Interest (delete whichever is not applicable)

I do not have and will not have any vested interest (either business, financial, personal or other) in the proposed
activity proceeding other than remuneration for work performed in terms of the Amendments to Environmental Impact
Assessment Regulations, 2014 as amended.

• паме а чезионнителенные рюрозе о асшину риссесану, заси чезионнителения .
Signature of the Specialist:
N/A *
Name of company:
26/07/2025
Date:
A 28-925/28/28
Signature of the Commissioner of Oaths:
2025-07-26
Date:
Consteuble
Designation:

Official stamp (below).



¹ Curriculum Vitae (CV) attached

Page 3 of 4

Annexure 1

CV



Jamie Pote

SENIOR ECOLOGIST AND ENVIRONMENTAL SCIENTIST

CONTACT

- (+27) 76 888 9890
- <u>jamiepote@live.co.za</u>
- Port Elizabeth, South Africa
- Linkedin.com
- Jamiepote
- % Bluesky-SA

EDUCATION

Bachelor of Science

Rhodes University
2001 (Botany & Environmental Science)

Bachelor of Science (Honours)

Rhodes University 2002 (Botany)

Professional Natural Scientist SACNASP

2016

SERVICES

Terrestrial Biodiversity/Ecological Assessments
Environmental & Ecological Risk-Assessments
Bioremediation, Restoration & Rehabilitation Plans
Environmental Management Plans & Programmes
GIS Mapping & Analysis & Web maps
Alien Invasive Management (Terrestrial)
Environmental Auditing & Monitoring (ECO)
Flora Search & Rescue & Relocation
Independent Environmental & Ecological review
Permit and License applications
Environmental & Mining Applications

ABOUT ME

16 years broad professional experience in Biodiversity, Ecological and Vegetation Assessments on over 220 projects in southern, western and central Africa. Senior Environmental Consultant and EAP on over 50 projects in the mining, infrastructure, housing and agricultural sectors. Environmental monitoring and auditing on over 50 civil infrastructure and construction projects. Have managed all aspects of projects from inception through to implementation. GIS mapping and analytics.

EXPERIENCE AND CLIENTS

Key Sectors

- Wind, Solar Energy Facilities
- Infrastructure and Housing
- Agriculture and Forestry
- Mining and Industrial

Key Projects

- Over 220 independent Biodiversity/Ecological Assessments throughout southern, western and central Africa.
- Mining applications and construction auditing on over 40 projects and more than 300 gravel borrow pits for the Eastern Cape Department of Roads and Public Works, Department of Transport and the South African National Roads Agency (SANRAL) throughout the Eastern Cape.
- South-End Precinct Mixed Use Development for Mandela Bay Development Agency - Environmental application, Ecological assessments and Construction monitoring.
- Coega Development Corporation IDZ projects Ecological assessments,
 Flora search & rescue and Construction monitoring.
- Environmental applications, construction monitoring and auditing for a wide range of projects, including infrastructure and housing for various clients including the Department of Transport and SANRAL.
- Various agricultural expansion and infrastructure projects.
- Various wind and solar energy and associated infrastructure projects.
- Numerous infrastructure projects including electrical, water and roads.
- Various Environmental Management and Rehabilitation Plans.



herewith certifies that Jamie Robert Claude Pote

Registration Number: 115233

is a registered scientist

in terms of section 20(3) of the Natural Scientific Professions Act, 2003 (Act 27 of 2003)

in the following field(s) of practice (Schedule 1 of the Act)

Ecological Science (Professional Natural Scientist)

Effective 20 July 2016

Expires 31 March 2026





Chairperson

Desums

Chief Executive Officer

To verify this certificate scan this code

PROJECT EXPERIENCE

PERFORMANCE STANDARD BIODIVERSITY AND CRITICAL HABITAT ASSESSMENTS (IFC PS6)

•	DBSA Environmental & Social Safeguards Standards 9: Biodiversity Conservation and Sustainable Management Assessment: The Ilitha Fibre Project, Ethekwini	2021
•	Critical Habitat & Biodiversity Assessment - Roggeveld Wind Energy Project	2020
•	Biodiversity Assessment for Kalukundi Copper/Cobalt Mine, Democratic Republic of Congo	2008
	bloancistly resessment for halanana copper/ressale mine, semecratic repusite or congo	
ΓER	RESTRIAL BIODIVERSITY ASSESSMENTS AND COMPLIANCE STATEMENTS	
•	Terrestrial Biodiversity Assessment (Addo BSD Offices)	2021
•	Terrestrial Biodiversity Assessment (Blaauwater Farms)	2021
•	Terrestrial Biodiversity Assessment (Buffelshoek Farm, Loerie)	2021
•	Terrestrial Biodiversity & Aquatic Assessment & Review (Falcon Ridge Dam)	2021
•	Terrestrial Biodiversity Assessment (Gubenxa Valley Deciduous Fruit)	2021
•	Terrestrial Biodiversity Assessment (Little Chelsea Mixed-use)	2021
•	Terrestrial Biodiversity Compliance Statement (Maidenhead Farm)	2021
•	Terrestrial Biodiversity Review, Mulilo Total Hydra Storage Project Grid Interconnection	2021
•	Terrestrial Biodiversity Compliance Statement (Lahlangubo River Bridge)	2021
•	Terrestrial Biodiversity Assessment (Mbashe access roads - 3 sites)	2021
•	Terrestrial Biodiversity Assessment (Burlington Farm Citrus Development, Cookhouse)	2020
•	Terrestrial Biodiversity Compliance Statement: CHDM Cluster 9 Phase 3D Pipeline	2020
•	Terrestrial Biodiversity Review, Mulilo Total Hydra Storage Project BESS	2020
•	Terrestrial Biodiversity Assessment (Mbashe housing projects, Dutywa & Willowvale)	2020
•	Terrestrial Biodiversity Assessment (Helpmekaar Dam, Tarkastad)	2020
•	Terrestrial Biodiversity Assessment (Herbertsdale pipeline, Mossel Bay)	2020
•	Terrestrial Biodiversity Assessment (Keurbooms Erf 155, Keurboomstrand)	2020
•	Terrestrial Biodiversity Assessment (Lowmar Hydroelectric Project, Cradock)	2020
•	Terrestrial Biodiversity Assessment (Mossel Bay Gas Power Plant)	2020
•	Terrestrial Biodiversity Assessment (Erf 1820, Mthatha)	2020
•	Terrestrial Biodiversity Assessment (Newlyn Manganese Terminal, Coega SEZ)	2020
•	Terrestrial Biodiversity Assessment Thornhill Phase 2 Sanitation Link	2020
ENE	RGY PROJECTS (WIND FARM AND PHOTOVOLTAIC INFRASTRUCTURE)	
•	Preliminary Biodiversity Screening for Chrisdelina Ranch Agricultural Project, Kizenga District	2020
•	Preliminary Biodiversity Screening and GIS mapping for Balekani Photovoltaic Solar Project	2020
•	Preliminary Biodiversity Screening and GIS mapping for Sihhoye Photovoltaic Solar Project	2020
•	Preliminary Biodiversity Screening and GIS mapping Mpaka Photovoltaic Solar Project	2020
•	Preliminary Biodiversity Screening and GIS mapping for Chiwelwa Hydroelectric project	2020
•	Ecological Assessment for Vermaak Boerdery Hydro Turbine (Cookhouse), Eastern Cape	2020
•	Ecological Assessment for Windcurrent Wind Farm, Eastern Cape	2012
•	Ecological Assessment for Universal Windfarm, NMB	2011
•	Ecological Assessment for Inca Energy Windfarm, Northern Cape	2011
•	Ecological Assessment for Broadlands Photovoltaic Farm, Eastern Cape	2011
•	Botanical Assessment for Electrawinds Windfarm Coega, NMB	2010
•	Botanical Assessment and Open Space Management Plan for Mainstream WEF Phase 2, Eastern	2010
-	Cape	2010
	Cupe	

SPECIALISED ECOLOGICAL REPORTS AND REVIEWS

Rebels Vlei Riparian delineation 2021

24/03/2021 1 | Page

•	Buck Kraal Dam Rehabilitation Plan Review	2020
•	Rehabilitation Plan for Hitgeheim Farm (Farm 960), Sunland, Eastern Cape	2017
•	Green Star Rating Ecological Assessment for SANRAL office, Bay West City, NMBM	2015
•	Section 24G Assessment and Rehabilitation Plan for Bingo Farm, Eastern Cape	2014
•	Mapping and Ecological services for Congo Agriculture, Republic of Congo	2013
•	Rehabilitation Plan for Nieu Bethesda, Eastern Cape	2011
•	Mapping of pipeline for Kenton Water Board, Eastern Cape	2010
•	Rehabilitation Plan for N2 Upgrade - Coega to Colchester, NMB	2010
•	Representative for landowner group for Seaview burial Park, NMB	2010
•	Botanical Sensitivity Analysis for LSDF, Greenbushes-Hunters Retreat, NMB	2008
•	Forestry Rehabilitation Assessment Report for Amahlathi Forest Rehabilitation, Eastern Cape	2007
•	Botanical & Riparian Assessment for Orange River Weirs-Boegoeberg, Douglas Dam and	2006
	Sendelingsdrif, Northern Cape	
•	Botanical Assessment for State of the Environment Report for Chris Hani District Municipality SoER, Eastern Cape	2003
RO	AD AND RAILWAY INFRASTRUCTURE PROJECTS	
•	Ecological Assessment for CDC IDZ Mn Terminal, conveyor and railway line, NMB	2013
•	Ecological Assessment Review for Penhoek Road widening, Eastern Cape	2012
•	Ecological Assessment for R61 road widening, Eastern Cape	2012
•	Botanical Assessment for Chelsea RD - Walker Drive Ext., NMB	2010
•	Botanical Assessment for Motherwell - Blue Water Bay Road, NMB	2010
•	Ecological Assessment for Port St John Road, Eastern Cape	2010
•	Botanical Basic Assessment for Bholani Village Rd, Port St Johns, Eastern Cape	2009
•	Botanical Report, EMP and Rehab Plan for Coega-Colchester N2 Upgrade, NMB	2009
•	Botanical Assessment for Manganese Conveyor Screening Report, NMB	2008
•	Ecological Assessment for Road Layout for Whiskey Creek- Kenton, Eastern Cape	2006
MIN	NING PROJECTS	
•	Ecological Assessment for Bochum Borrow Pits, Limpopo	2013
•	Ecological Assessment and Mining and Rehabilitation Plan for Greater Soutpansberg Mining	2013
	Project, Limpopo (3 proposed Mines)	
•	Ecological Assessment for Thulwe Road Borrow Pits, Limpopo	2013
•	Ecological Assessment and Mining and Rehabilitation Plan for Baghana Mining, Ghana	2010
•	Botanical Assessment for Zwartenbosch Quarry, Eastern Cape	2008
•	Botanical description & map production for Quarry - Rudman Quarry, Eastern Cape	2008
•	Botanical Basic Assessment, Rehab Plan & Maps for Borrow Pit - Rocklands/Patensie, Eastern	2008
	Cape	
•	Botanical Assessment & Maps for Sandman Sand Gravel Mine, Eastern Cape	2008
•	Botanical Assessment & GIS maps for Shamwari Borrow Pit, Eastern Cape	2008
•	Detailed Botanical Assessment, EMP and Rehab Plan for Kalukundi Copper/Cobalt Mine,	2008
	Democratic Republic of Congo	
•	Botanical Assessment, Rehab Plan & Maps for Borrow Pit Humansdorp/Oyster Bay, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Cala, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Camdeboo, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Somerset East, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Nkonkobe, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Ndlambe, Eastern Cape	2008
•	Botanical Assessment, Rehab Plan & Maps for AWRM - Blue Crane Route, Eastern Cape	2008

24/03/2021 2 | Page

•	Botanical Assessment, EMP and Rehabilitation Plan for AWRM - Cathcart, Eastern Cape	2008
•	Botanical Assessment, GIS maps and Rehab Plan for Mthatha Prospecting, Eastern Cape	2008
•	Regional Botanical Map for mining prospecting permit, Welkom	2008
•	Botanical Assessment for Scoping Report and Detailed Botanical Assessment and Rehab Plan for Elitheni Coal Mine, Eastern Cape	2007
•	Botanical Assessment, Rehab Plan & Maps for Borrow Pit - Oyster Bay, Eastern Cape	2007
•	Botanical Assessment, Rehab Plan & Maps for Borrow Pit - Bathurst/GHT, Eastern Cape	2007
•	Botanical Assessment, Rehab Plan & Maps for Borrow Pit – Jeffreys Bay, Eastern Cape	2007
•	Botanical Assessment, Rehab Plan & Maps for Borrow Pit - Storms River/Kareedouw, Eastern	2007
	Cape	
•	Biophysical Assessment for Humansdorp Quarry, Eastern Cape	2006
•	Botanical Assessment, Rehab Plan & Maps for Quarry-Cathcart & Somerset East, Eastern Cape	2006
•	Botanical Assessment, Rehab Plan & Maps for Quarry - Despatch Quarry, NMB	2006
•	GIS Mapping & Botanical Assessment and Rehab Plan for Quarry - JBay Crushers, Eastern Cape	2006
•	Botanical Assessment, EMP and Rehabilitation Plan for Polokwane Silicon Smelter, Limpopo	2006
•	Application for Mining Permit for Bruce Howarth Quarry, Eastern Cape	2006
PO	WERLINE INFRASTRUCTURE PROJECTS	
•	Ecological Assessment: Dieprivier-Karreedouw 132kV Powerline realignment, Kouga LM	2016
•	Eskom Ecological Walkdown: Dieprivier-Karreedouw 132 kV Powerline, Kouga LM	2016
•	Eskom Solar one Ecological Walkdown: Nieuwehoop 400 kV powerline	2015
•	Rehabilitation Plan and Auditing for Grassridge-Poseidon Powerline Rehab, Eastern Cape	2013
•	Ecological Assessment for Dieprivier Karreedouw 132kV Powerline, Eastern Cape	2012
•	Flora and Fauna search and Rescue plan for Van Stadens Windfarm Powerline, NMB	2012
•	Botanical Assessment for Dedisa-Grassridge Powerline, Eastern Cape	2010
•	Ecological Assessment for Grahamstown-Kowie Powerline, Eastern Cape	2010
•	Species of Special Concern Mapping Transmission Line for San Souci to Nivens Drift 132kV powerline, NMB	2009
•	Botanical Assessment for Eskom Powerline - Albany-Kowie, Eastern Cape	2009
•	Botanical Assessment for Eskom 132 kV Dedisa Grassridge Power line-Coega, NMB	2006
•	Botanical Assessment for Eskom Power line – Tyalara-Wilo, Eastern Cape	2006
•	Botanical Assessment for Steynsburg - Teebus 132 kV powerline, Eastern Cape	2004
PIP	ELINE INFRASTRUCTURE PROJECTS	
•	Terrestrial Biodiversity Assessment for Thornhill Phase 2 Sanitation Link, Ndlambe, Eastern Cape	2020
•	Botanical Assessment for Ngqamakhwe Regional Water Supply Scheme (Phase 3)	2018
•	Ecological Assessment for Butterworth Emergency Bulk Water Supply Scheme	2017
•	Ecological Assessment for Karringmelkspruit Emergency Bulk Water Supply (Lady Grey)	2017
•	Ecological Assessment for Wanhoop-Willowmore Bulk Water Supply, Eastern Cape	2016
•	Ecological Assessment for Steytlerville Bulk Water Supply, Eastern Cape (Phase 4)	2013
•	Ecological Assessment for Steytlerville Bulk Water Supply, Eastern Cape (Phase 5)	2013
•	Detailed Ecological Assessment for Suikerbos Pipeline, Gauteng	2012
•		2012
	Basic Botanical Assessment for Wanhoop farm pipeline, Eastern Cape Basic Botanical Assessment for Chatty Sewer, NMB	2010
•	·	
•	Species of Special Concern Mapping for Seaview Pipeline, NMB	2009
•	Species of Special Concern Mapping for Chelsea Bulk Water Pipeline, NMB	2009
•	Map Production for Russell Rd Stormwater, NMB	2008
•	Basic Botanical Assessment for Albany Pipeline, Eastern Cape	2008
•	Environmental Risk Assessment for Elands River pipeline, Eastern Cape	2007

24/03/2021 3 | Page

•	Detailed Botanical Assessment for Motherwell Pipeline, NMB Detailed Botanical Assessment, GIS maps for Erasmuskloof Pipeline, Eastern Cape Botanical & Floristic Report for Hankey pipeline, Eastern Cape Detailed Botanical Assessment for Port Alfred water pipeline, Eastern Cape	2007 2007 2006 2004
GEN	NERAL INFRASTRUCTURE DEVELOPMENT PROJECTS	
•	Ecological Assessment for Amalinda crossing, BCM, Eastern Cape Ecological Assessment for Cookhouse Bridge rehabilitation and temporary deviation, Eastern Cape	2019 2019
•	Ecological Assessment for Nelson Mandela University Access Road, NMB	2019
•	Botanical Assessment for Zachtevlei Dam (Lady Grey), Eastern Cape	2017
•	Botanical Assessment for Gcebula River bridge (Peddie), Eastern Cape	2017
•	Botanical Assessment for Kouga Dam wall upgrade, Eastern Cape	2012
•	Botanical Assessment for Jansenville Cemetery, Eastern Cape	2009
•	Botanical Assessment for Radar Mast construction for South African Weather Service – BCM & NMB	2008
•	Botanical Assessment and GIS mapping for golf course realignment for East London Golf Course, BCM, Eastern Cape	2007
•	Botanical Assessment for PE Airport Extention, NMB	2006
•	Botanical Assessment for Kidd's Beach Desalination Plant, BCM, Eastern Cape	2006
НО	USING DEVELOPMENT PROJECTS	
•	Terrestrial Biodiversity Assessment for Erf 1820 Mthatha, KSDM, Eastern Cape	2020
•	Ecological Assessment for Erf 599 Walmer Mixed Use Development, Nelson Mandela Bay	2019
•	Ecological Assessment Portion 21-23 and 41 of Farm 807, Gonubie, Buffalo City	2019
•	Ecological Assessment for Emerald Sky Housing Project, BCMM	2019
•	Ecological Assessment for Erf 14, Kabega, Port Elizabeth	2017
•	Ecological Assessment for Fairwest Rental Housing, Port Elizabeth	2017
•	Ecological Assessment for Hankey Housing, Kouga District Municipality	2015
•	Ecological Assessment for Lebowakgoma Housing, Limpopo	2013
•	Ecological Assessment for Giyani Development, Limpopo	2013
•	Ecological Assessment for Palmietfontein Development, Limpopo	2013
•	Ecological Assessment for Seshego Development, Limpopo	2013
•	Botanical Assessment for Sheerness Road, BCM, Eastern Cape	2013
•	Ecological Assessment for Ethembeni Housing, NMB	2012
•	Ecological Assessment for Pelana Housing, Limpopo	2012
•	Flora Search and Rescue Plan for Kwanobuhle Housing, Western Cape	2011
•	Botanical Assessment for The Crags 288/03, Western Cape	2010
•	Ecological Assessment Revision Report for Fairview Housing, NMB	2010
•	Botanical Assessment, EMP and Open Space Management Plan for Hornlee Housing	2010
	Development, Western Cape	
•	Botanical Assessment for Little Ladywood, Western Cape	2010
•	Botanical Assessment and Open Space Management Plan for Motherwell NU31, NMB	2010
•	Botanical Assessment and Open Space Management Plan for Plett 443/07, Western Cape	2010
•	Botanical Assessment for Willow Tree Farm, NMB	2010
•	Botanical Assessment for Kouga RDP Housing, Eastern Cape	2009
•	Botanical Assessment for Fairview Erf 1226 (Wonderwonings), NMB	2009
•	Species List Compilation for Zeekoerivier Humansdorp, Eastern Cape	2009
•	Botanical Assessment for Woodlands Golf Estate (Farm 858), BCM, Eastern Cape	2009

24/03/2021 4 | Page

•	Botanical Assessment for Plettenberg Bay - 438/4, Western Cape	2009
•	Vegetation Assessment for Kwanokuthula RDP housing project, Western Cape	2008
•	Site screening assessment for Greenbushes Site screening, NMB	2008
•	Botanical Assessment for Fairfax development, Eastern Cape	2008
•	Botanical Assessment for Plettenberg Bay Brakkloof 50&51, Western Cape	2008
•	Botanical Assessment, GIS mapping for Theescombe Erf 325, NMB	2008
•	Site Screening for Mount Road, NMB	2008
•	Botanical Assessment for Greenbushes Farm 40 Swinburne 404, NMB	2008
•	Botanical Assessment for Greenbushes 130, NMB	2008
•	Botanical Assessment for Greenbushes Kuyga no. 10, NMB	2008
•	Botanical Assessment for Plettenberg Bay - 438/24, Western Cape	2007
•	Botanical Assessment for Plettenberg Bay - Olive Hills 438/7, Western Cape	2007
•	Botanical Assessment for Gonubie Portion 809/9, BCM, Eastern Cape	2006
•	Botanical Assessment for Glengariff Farm 723, BCM, Eastern Cape	2006
•	Botanical Assessment for Gonubie Portion 809/10, BCM, Eastern Cape	2006
•	Botanical Assessment for Gonubie Portion 809/4 & 5, BCM, Eastern Cape	2006
•	Botanical Assessment for Plettenberg bay - Ladywood 438/1&3, Western Cape	2006
•	Botanical Assessment and Rehab Plan for Winterstrand Desalination Plant, BCM	2006
•	Botanical Assessment for Bosch Hoogte, NMB	2006
•	Botanical Assessment for Plettenberg bay Farm 444/38, Western Cape	2006
•	Botanical Assessment for Plettenberg Bay - 444/27, Western Cape	2006
•	Botanical Assessment for Leisure Homes, BCM, Eastern Cape	2006
•	Botanical Basic Assessment for Trailees Wetland Assessment, Eastern Cape	2005
•	Botanical Assessment and Rehab Plan for Arlington Racecourse - PE, NMB	2005
•	Botanical Assessment for Smart Stone, NMB	2005
•	Botanical Assessment for Peninsular Farm (Port Alfred), Eastern Cape	2005
•	Botanical Assessment for Mount Pleasant - Bathurst, Eastern Cape	2005
•	Botanical Assessment and RoD amendments for Colchester Erven 1617 & 1618 (Riverside), NMB	2005
•	Basic Botanical Assessment for Parsonsvlei 3/4, Eastern Cape	2005
•	Botanical Assessment for Bridgemead – Malabar PE, NMB	2004
AGI	RICULTURAL PROJECTS	
•	Ecological Assessment for Vermaak Boerdery Hydro Turbine (Cookhouse)2020	2020
•	Thornhill Eggland Specialist Ecological Assessment	2020
•	Ecological Assessment for Citrus expansion on Hitgeheim Farm, Sunland, Eastern Cape	2015
•	Ecological Assessment for Citrus expansion on farm 960, Patensie (AIN du Preez Boerdery)	2014
•	Ecological Assessment for Doornkraal Pivot (Hankey), Eastern Cape	2014
•	Ecological Assessment for Tzaneen Chicken Farm, Limpopo	2013
•	Botanical Assessment and Open Space Management Plan for Kudukloof, NMB	2010
•	Botanical Assessment and Open Space Management Plan for Landros Veeplaats, NMB	2010
•	Botanical Assessment and Open Space Management Flan for Wildemans Plaas, NMB	2006
GOI	LF ESTATE AND RESORT DEVELOPMENT PROJECTS	
•	Species List& Comments Report for Kidds Beach Golf Course, BCM, Eastern Cape	2009
•	Botanical Assessment for Plettenberg Bay -Farm 288/03, Western Cape	2009
•	Botanical Assessment for Rockcliff Golf Course, BCM, Eastern Cape	2008
•	Botanical Assessment for Rockcliff Resort Development, BCM, Eastern Cape Rotanical Assessment, EMP and Robabilitation Plan for Tiffendal Ski Rosert, Eastern Cape	2007
•	BOTADICAL ACCOCEMENT FINIT AND RENABILITATION PLAN FOR LITTENDED VICENTE LACTORY CARE	7006

24/03/2021 5 | Page

MIXED USE DEVELOPMENT PROJECTS

•	Ecological Assessment for South-End Precinct Mixed Use Development, Nelson Mandela Bay	2018
•	Botanical Assessment, EMP and Open Space Management Plan for Bay West City, NMB	2010
•	Botanical Assessment, GIS maps, Open Space and Rehab Plans for Fairview Erf 1082, NMB	2009
•	Botanical Assessment and GIS maps for Utopia Estate PE, NMB	2008
•	Botanical Assessment and GIS mapping for Madiba Bay Leisure Park, NMB	2007
•	Botanical Assessment and GIS mapping for Madiba Bay Leisure Park, NMB	2007
•	Botanical Basic Assessment for Cuyler Manor (Farm 320), Uitenhage, NMB	2007

BUSINESS AND INDUSTRIAL DEVELOPMENT PROJECTS

•	Ecological Assessment for Parsonsvlei Erf 984 & 1134 Parsonsvlei, NMB	2020
•	Mthatha Retails and Service Center	2020
•	Ecological Assessment for Walmer Erf 11667 - Bidfood Warehousing Development, NMB	2020
•	Ecological Assessment for Portion 87 of the Farm Little Chelsea No 10, NMB	2020
•	Ecological Assessment for Bay West City ENGEN Service Station, NMB	201
•	Ecological Assessment for Green Star grading for SANRAL, NMB	2014
•	Ecological Assessment for OTGC Tank Farm, NMB	2012
•	Botanical Assessment and Open Space Management Plan for Petro SA Refinery, Coega IDZ,	2010
	NMB	
•	Botanical Assessment for Bluewater Bay Erf 805, NMB	2009
•	Ecological Assessment for Bay West City, NMB	2007
•	Botanical Assessment for Kenton Petrol Station, Eastern Cape	200
•	Botanical Assessment and RoD amendments for Colchester Petrol Station, NMB	200

ECO-ESTATE DEVELOPMENT PROJECTS

•	Botanical Re-Assessment of Swanlake Eco Estate, Aston Bay, Eastern Cape	2018
•	Detailed Botanical Assessment and Open Space Management Plan for Olive Hills, Western Cape	2010
•	Botanical Assessment and EMP for Zwartenbosch Road, Eastern Cape	2010
•	Botanical Assessment - Poultry Farm for Coega Kammaskloof Farm 191, NMB	2008
•	Botanical Assessment - Housing development for Coega Ridge, NMB	2008
•	Botanical Assessment, Rehabilitation Plan, EMP and GIS maps for Amanzi Estate, NMB,	2008
•	Botanical Assessment for Roydon Game farm, Queenstown, Eastern Cape	2007
•	Botanical Assessment for Winterstrand Estate (Farm 1008), BCM, Eastern Cape	2007
•	Botanical Assessment for Homeleigh Farm 820, BCM, Eastern Cape	2007
•	Botanical Basic Assessment, Rehab Plan & Maps for Candlewood, Tsitsikamma, Western Cape	2007
•	Botanical Assessment, EMP and Rehab Plan for Carpe Diem Eco development, Eastern Cape	2007
•	Botanical Assessment, EMP and Rehabilitation Plan for Seaview Eco-estate, NMB	2006
•	Botanical Assessment for Kidd's Beach portion 1076, BCM, Eastern Cape	2006
•	Botanical Assessment for Palm Springs, Kidds Beach East London, BCM, Eastern Cape	2006
•	Botanical Assessment for Nahoon Farm 29082, BCM, Eastern Cape	2006
•	Botanical Assessment for Rosehill Farm, Eastern Cape	2005
•	Botanical Assessment for Resolution Game Farm, Eastern Cape	2005
•	Botanical Assessment for Gonubie Portion 809/11, BCM, Eastern Cape	2005
•	Botanical Assessment for Kidd's Beach portion 1075, BCM, Eastern Cape	2005

FLORA AND FAUNA RELOCATION PLANS, PERMITS AND IMPLEMENTATION

• Flora Search and Rescue for Nelson Mandela University Phase 2 & 3 Residences, Eastern Cape 2020

24/03/2021 6 | Page

•	Flora Search and Rescue for Fairwest Housing Estate, Nelson Mandela Bay, Eastern Cape Flora Search and Rescue for Utopia Estate, Nelson Mandela Bay, Eastern Cape	2019 2019
•	Flora Search and Rescue for Citrus expansion on Boschkraal Citrus Farm, Sunland, Eastern Cape	2018
•	Flora Search and Rescue for Wanhoop pipeline, Willowmore, Eastern Cape	2018
•	Flora Search and Rescue for Wilgekloof pipeline, Willowmore, Eastern Cape	2018
•	Flora Search and Rescue for Citrus expansion on Hitgeheim Farm (Farm 960), Sunland, Eastern Cape	2017
•	Flora Search and Rescue for Steytlerville Bulk Water Supply, Eastern Cape (Phase 5)	2016
•	Flora Search and Rescue for Citrus expansion on Farm 960, Patensie (AIN du Preez Boerdery)	2016
•	Flora Search and Rescue for Steytlerville Bulk Water Supply & WTW, Eastern Cape (Phase 4)	2015
•	Flora and Fauna Search and Rescue for Riversbend Citrus Farm, NMB	2014
•	Flora and Fauna Search and Rescue for Mainstream Windfarm, Eastern Cape	2013
•	Flora Search and Rescue for Steytlerville Bulk Water Supply, Eastern Cape (Phase 1, 2 & 3)	2013
•	Flora and Fauna Search and Rescue for OTGC Tank Farm, Coega IDZ, NMB	2013
•	Flora and Fauna Search and Rescue for Jeffreys Bay School, Eastern Cape	2013
•	Flora Search and Rescue Plan for Red Cap Wind Farm, Eastern Cape	2012
•	Flora Relocation for Disco Poultry Farm, NMB	2010
•	Flora Relocation for Mainstream Windfarm, Eastern Cape	2010
ENV	TRONMENTAL MANAGEMENT PLANS	
•	Final Environmental Management Programme (EMPr) and Maintenance Management Plan for	2020
•	South End Precinct Mixed Use Zone, Nelson Mandala Bay Municipality Final Environmental Management Programme (EMPr) for Coega Land-Based Aquaculture	2019
•	Development Zone (ADZ), Coega Industrial Development Zone (IDZ), Nelson Mandela Bay Municipality	2019
•	Basic Botanical Assessment for Kromensee EMP (Jeffries Bay), Eastern Cape	2010
•	Wetland Management Plan for NMB Portnet, NMB	2010
•	Baseline Botanical Study, Vegetation mapping and EMP for Local Nature Reserve for Plettenberg Bay Lookout LNA, Western Cape	2009
•	Biodiversity & Ecological Processes for Bathurst-Commonage, Eastern Cape	2006
•	EMP for Kromensee EMP (Jeffries Bay), Eastern Cape	2006
•	Floral Survey for Mbotyi Conservation Assessment, Eastern Cape	2005
•	Identifying and Assessment on Aquatic Weeds for Pumba Private Game Reserve, Eastern Cape	2005
BAS	IC ASSESSMENT APPLICATION PROJECTS (DEDEAT)	
•	Basic Assessment Application for Parsonsvlei Erf 984 & 1134 Parsonsvlei	2020
•	Construction of Deviation and Rehabilitation of Bridge along DR02481 road	2020
•	Basic Assessment Application for Vermaak Boerdery Hydro Turbine (Cookhouse)	2020
•	Basic Assessment Application for Walmer Erf 11667 Bidfood Warehousing Development	2020
•	Basic Assessment Application for Portion 87 of the Farm Little Chelsea No 10	2020
•	Basic Assessment Application for Nelson Mandela University Access Road, NMB	2019
•	Basic Assessment, WULA and Borrow Pit/Quarry Mining Application, Clarkebury Rd, Idutywa	2019
•	Basic Assessment Application for Erf 599 Walmer Mixed Use Development, Nelson Mandela Bay	2019
•	Basic Assessment Application for Cookhouse Bridge rehabilitation and temporary deviation	2019
•	Basic Assessment Application for Erf 14 Kabega, NMBM	2017
•	Basic Assessment Application for Hankey Housing, Kouga District Municipality	2017
•	Basic Assessment Application for Fairwest Rental Housing, Nelson Mandela Bay	2017
•	Basic Assessment Application for Citrus expansion on Hitgeheim Farm, Sunland, Eastern Cape	2015

24/03/2021 7 | Page

•	Basic Assessment Application for Hankey Housing, Kouga District Municipality Basic Assessment Application for Citrus expansion on farm 960, Patensie (AIN du Preez Boerdery) Basic Assessment Application for South-End Precinct Mixed Use Development, Nelson Mandela Bay 2018	2015 2014
MIN	ING PERMIT/ENVIRONMENTAL MANAGEMENT PROGRAMME APPLICATIONS (DMR)	
•	Mining BAR/EMP's for Blue Crane Route & Camdeboo LM 12 Borrow Pits – (DoT)	2019
•	Mining BAR/EMP's for Elundini LM 6 Borrow Pits (DoT)	
•	Mining BAR/EMP's for Baviaans LM 6 Borrow Pits (DoT)	
•	Mining BAR/EMP's for Kouga & Koukamma LM 12 Borrow Pits (DoT)	
•	Mining BAR/EMP's for Sakhisizwe & Engcobo LM 12 Borrow Pits (DoT)	
•	Mining BAR/EMP's for Senqu LM 12 Borrow Pits (DoT)	
•	Mining BAR/EMP's for 24 Borrow Pits in 6 districts within the Eastern Cape– (SANRAL)	2018
•	Mining BAR/EMP's for Ingquza Hill LM Borrow Pits – (SANRAL)	2017
•	Mining BAR/EMP's for Baviaans LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Senqu LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Kouga/Koukamma LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Inkwanca (Enoch Mgijima) LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Kouga/Koukamma LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Sakhisizwe/Engcobo LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Raymond Mahlaba LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Camdeboo LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Elundini LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Emalahleni/Intsika Yethu LM Borrow Pits – (DRPW)	2017
•	Mining BAR/EMP's for Nkonkobe LM Borrow Pits – (SANRAL)	2016
•	Mining BAR/EMP's for Mbhashe LM Borrow Pits – (SANRAL)	2016
•	Mining BAR/EMP's for Mbizana LM Borrow Pits – (SANRAL)	2016 2016
•	Mining BAR/EMP's for Senqu LM Borrow Pits – (SANRAL)	2016
•	Mining BAR/EMP's for Elundini LM Borrow Pits – (SANRAL) Mining BAR/EMP's for Emalahleni LM Borrow Pits – (SANRAL)	2016
•	Mining BAR/EMP's for Emalahleni LM Borrow Pits – (SARRAL) Mining BAR/EMP's for Emalahleni LM Borrow Pits – (DRPW)	2016
•	Mining BAR/EMP's for Ikwezi/Baviaans LM Borrow Pits – (DRPW)	2016
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - MR00716 (Tarkastad) (DRPW)	2015
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits – Intsika Yethu and Emalahleni (DRPW)	2015
•	Mining BAR/EMP's for Joe Gqabi DM Borrow Pits – Senqu (DRPW)	2015
•	Mining BAR/EMP's for Makana/Ndlambe LM Borrow Pits – Sarah Baartman (DRPW)	2015
•	Mining BAR/EMP's for Amahlathi LM Borrow Pits – Amatole (DRPW)	2015
•	Mining BAR/EMP's for Mbashe/Mqume LM Borrow Pits – Amatole (DRPW)	2015
•	Mining BAR/EMP's for Sundays River Valley LM Borrow Pits – Sarah Baartman (DRPW)	2015
•	Mining BAR/EMP's for Kouga LM Borrow Pits – Sarah Baartman (DRPW)	2015
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - MR00716 (DRPW)	2014
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - DR02581 (DRPW)	2014
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - DR08041, DR08247, DR08248 & DR08504 (DRPW)	2014
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - DR08599, DR08601 & DR08570 (DRPW)	2014
•	Mining BAR/EMP's for Chris Hani DM Borrow Pits - DR08235, DR08551 & DR08038 (DRPW)	2014
•	Mining BAR/EMP's for Alfred Nzo DM Borrow Pits - DRo8092, DRo8093 & DRo8649 (DRPW)	2014
•	Mining BAR/EMP's for Alfred Nzo DM Borrow Pits - DR08090, DR08412, DR08425, DR08129, DR08109, DR08106, DR08104 & DR08099 - Matatiele (DRPW)	2014

24/03/2021 8 | Page

<u>EN\</u>	/IRONMENTAL COMPLIANCE AUDITING	
•	Environmental Compliance Audit (Habata Boerdery) Environmental Compliance Audit (Sontule Farm)	202 ²
<u>EN\</u>	/IRONMENTAL MANAGEMENT, AUDITING, COMPLIANCE AND MONITORING PROJECTS	
•	Environmental Auditing Services Pre-construction and Construction (Rocky Coast Farm)	202
•	Environmental Auditing Services (Middledrift Breeder Facility)	202
•	Coega Aquaculture Development Zone Environmental Compliance and Monitoring for Construction (24 Months)	2020
•	Construction of NMU West End Student Residences Phases 1 & 3 Environmental Control Office (30 Months)	2020
•	Environmental Auditing and construction monitoring for construction of Phase 1 River Park (South End Precinct)	2020
•	Waste Management License audit for Bedford Recycling project	2020
•	Auditing for Construction of Fairwest Village Housing Project	2019
•	Auditing for Construction of Utopia Estate monthly auditing	2019
•	ECO for DRPW IRM Road Maintenance projects, Baviaans LM	2019
•	ECO for DRPW IRM Road Maintenance projects, Senqu LM	2019
•	ECO for DRPW IRM Road Maintenance projects, Kouga/Koukamma LM	2019
•	ECO for DRPW IRM Road Maintenance projects, Sakhisizwe/Engcobo LM	2019
•	ECO for DRPW IRM Road Maintenance projects, Elundini LM	2019
•	ECO for DRPW IRM Road Maintenance projects, Emalahleni/Intsika Yethu LM	2019
•	ECO for Construction of Fairwest Village Housing Project	2019
•	ECO for Construction of Utopia Estate Mixed Use Project	2019
•	ECO for Construction of NMU West End Student Residences Phases 1 & 3	2019
•	ECO for Construction of Eco-Pullets pullet rearing facility, Paterson	2018
•	ECO for DRPW IRM Road Maintenance projects, Raymond Mahlaba LM	2018
•	ECO for DRPW IRM Road Maintenance projects, Inkwanca (Enoch Mgijima) LM	2018
•	ECO for Citrus expansion on Farm 960, Patensie (AIN du Preez Boerdery) ECO for Citrus expansion on Hitgeheim Farm (Farm 960), Sunland, Eastern Cape	2017
•	DEO for improvement of national route R67 section 5 from Whittlesea (km 0.00) to Swart Kei	2017 2017
•	river (km 15.40) – Murray & Roberts	2017
•	ECO for SANRAL RRP Road Maintenance projects, Mbizana LM	2017
•	ECO and Botanical Specialist for the special maintenance of national route R61 Section 2 from	2016
	Elinus Farm (km 42.2) to N10 (km 85.0) (SANRAL)	
•	Environmental Control Officer (ECO): Construction of NSRI Slipway - Port Elizabeth Harbour	2016
•	ECO for SANRAL RRP Road Maintenance projects, Mbashe LM	2016
•	ECO for SANRAL RRP Road Maintenance projects, Nkonkobe LM	2016
•	ECO for SANRAL RRP Road Maintenance projects, Mbizana LM	2016
•	ECO for SANRAL RRP Road Maintenance projects, Senqu LM	2016
•	ECO for SANRAL RRP Road Maintenance projects, Elundini LM	2016
•	ECO and Environmental Management for closure of Bushmans River Landfill site	2016
•	ECO for DRPW IRM Road Maintenance projects, Amahlathi Municipality	2015
•	ECO for DRPW IRM Road Maintenance projects, Makana/Ndlambe Municipality	2015
•	ECO for DRPW IRM Road Maintenance projects, Mbashe/Mqume Municipality	2015
•	ECO for DRPW IRM Road Maintenance projects, Port St Johns, Mbizana, Ingquza Hill LM's	2015
•	ECO for Riversbend Citrus Farm, NMB	2014
•	ECO for Alfred Nzo DM Road resurfacing - DR08071, DR08649, DR08092, DR08418, DR08452,	2014

24/03/2021 9 | Page

DRo8015, DRo8085, DRo8639 & DRo8073, Eastern Cape - MSBA

•	ECO Audits for Koukamma Flood Damage Road Repairs – Hatch Goba	2014
•	EMP and ECO for Utopia Estate, NMB	2013
•	Final EMPr submission for Seaview Garden Estate, NMB	2012
•	ECO audits for NMB Road surfacing, NMB (multiple contacts)	2011
•	EMPr submission and ECO for Seaview Garden Estate, NMB	2010
•	ECO for Mainstream Windfarm wind monitoring mast installation, Eastern Cape	2010
•	EMP and ECO for Sinati Golf Estate EMP, BCM, Eastern Cape	2009
•	Flora Relocation Plan and Permit application for Wildemans Plaas, NMB	2006
ENV	TRONMENTAL SCREENING PROJECTS	
•	Somerset East Stormwater Environmental Screening Report	2021
•	Woodlands Diary Road Upgrade Environmental Screening Report, Kouga LM	2021
•	Risk Assessment and Screening for proposed Heatherbank access road, NMB	2020
•	Environmental Screening Report for Proposed Life Hospital parking expansion, NMB	2019
•	Environmental Screening Report for Erf 984 & 1134 development, Parsonsvlei, NMB	2019
•	Environmental Screening Report for proposed Khayalethu School, Buffalo City	2018
•	Environmental Screening Report for Proposed Housing Development of Erf 8700, Kabega Park, NMB	2017
•	Environmental Screening Report for Proposed Housing Development of Erf 14, Kabega Park, NMB	2017
•	Environmental Screening Report for Proposed Fairwest Social Housing project, Fairview, NMB	2016
•	Environmental Screening Report for Development of Little Chelsea No 25, NMB	2016
•	Terrestrial Vegetation Risk Assessment for proposed Skietnek Citrus Farm development (Kirkwood)	2015
•	Preliminary Environmental Risk Assessment: NSRI Slipway Port Elizabeth	2015
•	Environmental Screening Report for Proposed Development of a Dwelling on Erf 899, Theescombe	2015
•	Environmental Screening Report for Proposed Development on Erf 559, Walmer, Port Elizabeth	2015
•	Environmental Screening Report for Proposed Housing Scheme Development of Erf 8709, Wells Estate	2015
•	Environmental Screening Report for Development of Portion 10 of Little Chelsea No 87, NMB	2015
SEC	TION 24G APPLICATIONS	
	12 000 ML Dam constructed on farm 960, Patensie (MGM Trust)	2015
•	Illegal clearing of 20 Ha of lands on Hitgeheim Farm, Sunland, Eastern Cape	2015

CONFERENCES AND PUBLICATIONS

- Pote, J., Shackleton, C.M., Cocks, M. & Lubke, R. 2006. Fuelwood harvesting and selection in Valley Thicket, South Africa. <u>Journal of Arid Environments</u>, 67: 270-287.
- Pote, J., Cocks, M., Dold, T., Lubke, R.A. and Shackleton, C. 2004. The homegarden cultivation of indigenous medicinal plants in the Eastern Cape. <u>Indigenous Plant Use Forum</u>, 5 - 8 July 2004, Augsburg Agricultural School, Clanwilliam, Western Cape.
- Pote, J. & Lubke, R.A. 2003. The selection of indigenous species suitable for use as fuelwood and building materials as a replacement of invasive species that are currently used by the under-privileged in the Grahamstown commonage. Working for Water Inaugural Research Symposium 19 21 August 2003, Kirstenbosch. Poster presentation.
- Pote, J. & Lubke, R.A. 2003. The screening of indigenous pioneer species for use as a substitute cover crop for rehabilitation after removal of woody alien species by WfW in the grassy fynbos biome in the Eastern Cape. Working for Water Inaugural Research Symposium 19 21 August 2003, Kirstenbosch, South Africa.

24/03/2021 10 | Page

OTHER RESEARCH EXPERIENCE

- Resource assessment of bark stripped trees in indigenous forests in Weza/Kokstad area (June 2000; Dr C. Geldenhuis & Mr. M. Kaplin).
- Working for Water research project for indigenous trees for woodlots (December 2000/January 2001; Prof R.A. Lubke, Rhodes University).
- Project coordinator and leader of the REFYN project A BP conservation gold award: Conservation and Restoration of Grassy-Fynbos. A multidisciplinary project focusing on management, restoration and public awareness/education (2001 2002).
- Conservation Project Management Training Workshops: Royal Geographical Society, London 2001 –
 Fieldwork Techniques, Habitat Assessment, Biological Surveys, Project Planning, Public Relations and Communications, Risk Assessment, Conservation Education
- Selection and availability of wood in Crossroads village, Eastern Cape, South Africa. Honours Research Project 2002. Supervisors: Prof. R.A. Lubke & Prof. C. Shackleton.
- Floral Morphology, Pollination and Reproduction in Cyphia (LOBELIACEAE). Honours Research Project 2002. Supervisor: Mr. P. Phillipson.
- Forestry resource assessment of bark-stripped species in Amatola District (December 2002; Prof R.A. Lubke).
- Homegarden Cultivation of Medicinal Plants in the Amathole area. Postgraduate Research Project (2003-2005; Prof R.A. Lubke, Prof C.M. Shackleton and Ms C.M., Cocks).

24/03/2021 11 | Page

3.3 Appendix 3: Protocol for the Specialist Assessment and Minimum Report Content Requirements for Environmental Impacts on Terrestrial Biodiversity

SCOPE

The protocol (Procedures for the assessment and minimum criteria for reporting on identified environmental themes in terms of sections 24(5)(a) and (h) and 44 of the National Environmental Management Act, 1998, when applying for environmental authorisation (GN 320, 20 March 2020)) provides the criteria for the assessment and reporting of impacts on terrestrial biodiversity for activities requiring environmental authorisation.

The protocol (Procedures for the Assessment and Minimum Criteria for Reporting on Identified Environmental Themes in terms of sections 24(5)(a) and (h) and 44 of NEMA, gazetted on 30 October 2020), provides the criteria for the assessment and reporting of impacts on plant and animal species for activities requiring environmental authorisation.

These <u>protocols replace the requirements of Appendix 6</u> of the Environmental Impact Assessment Regulation³.

The assessment and minimum reporting requirements of this protocol are associated with a level of environmental sensitivity identified by the national web based environmental screening tool (https://screening.environment.gov.za/screeningtool). The requirements for terrestrial biodiversity are for landscapes or sites which support various levels of biodiversity. The relevant terrestrial biodiversity data in the screening tool has been provided by the South African National Biodiversity Institute⁴.

SITE SENSITIVITY VERIFICATION AND MINIMUM REPORT CONTENT REQUIREMENTS

Prior to commencing with a specialist assessment, the current use of the land and the potential environmental sensitivity of the site under consideration as identified by the screening tool must be confirmed by undertaking a site sensitivity verification.

- 2.1. The site sensitivity verification must be undertaken by <u>an environmental assessment practitioner or a specialist</u>.
- 2.2. The site sensitivity verification must be undertaken through the use of:
 - (a) a desk top analysis, using satellite imagery,
 - (b) a preliminary on-site inspection; and
 - (c) any other available and relevant information.
- 2.3. The outcome of the site sensitivity verification must be recorded in the form of a report that:
 - (a) <u>confirms or disputes the current use of the land and environmental sensitivity</u> as identified by the screening tool, such as new developments or infrastructure, the change in vegetation cover or status etc.;
 - (b) <u>contains a motivation and evidence</u> (e.g., photographs) of either the verified or different use of the land and environmental sensitivity; and
 - (c) is submitted together with the relevant assessment report prepared in accordance with the requirements of the Environmental Impact Assessment Regulations.

.

³ The Environmental Impact Assessment Regulations, as promulgated in terms of Section 24 (5) of the National Environmental Management Act, 1998 (Act 107 of 1998).

⁴ The biodiversity dataset has been provided by the South African National Biodiversity Institute (for details of the dataset, click on the options button to the right of the various biodiversity layers on ther screening tool).

TERRESTRIAL BIODIVERSITY SPECIALIST ASSESSMENT AND MINIMUM REPORT CONTENT REQUIREMENTS

TABLE	ASSESSMENT AND REPORTING OF IMPACTS ON TERRESTRIAL BIODIVERSITY	REPORT
1: 1	General Information	REFERENCE
	An applicant intending to undertake an activity identified in the scope of this	-
1.1	protocol, on a site identified on the screening tool as being "very high sensitivity" for	~
	terrestrial biodiversity, must submit a <u>Terrestrial Biodiversity Specialist Assessment</u> .	
1.2	An applicant intending to undertake an activity identified in the scope of this	
	protocol on a site identified by the screening tool as being 'low sensitivity' for	~
	terrestrial biodiversity, must submit a <u>Terrestrial Biodiversity Compliance Statement</u> .	
1.3	However, where the information gathered from the site sensitivity verification <u>differs</u>	
	from the designation of 'very high' terrestrial biodiversity sensitivity on the screening	/
	tool and it is found to be of a 'low' sensitivity, then a <u>Terrestrial Biodiversity</u>	·
	Compliance Statement must be submitted.	
1.4	Similarly, where the information gathered from the site sensitivity verification differs	
	from that identified as having a 'low' terrestrial biodiversity sensitivity on the screening tool, a <u>Terrestrial Biodiversity Specialist Assessment</u> must be conducted.	~
1 5	If any part of the proposed development footprint falls within an area of 'very high'	
1.5	sensitivity, the assessment and reporting requirements prescribed for the 'very high'	
	sensitivity apply to the entire footprint, excluding linear activities for which impacts	
	on terrestrial biodiversity are temporary and the land in the opinion of the terrestrial	
	biodiversity specialist, based on the mitigation and remedial measures, <u>can be</u>	~
	returned to the current state within two years of the completion of the construction	
	phase, in which case a compliance statement applies. Development footprint in the	
	context of this protocol means the area on which the proposed development will	
	take place and includes any are that will be disturbed.	
	VERY HIGH SENSITIVITY RATING for terrestrial biodiversity features	
3.1.13	a motivation must be provided if there were development footprints identified as per	
	paragraph 2.3.6 above that were identified <u>as having a 'low' terrestrial biodiversity</u>	~
	sensitivity and that were not considered appropriate,	
_	LOW SENSITIVITY RATING – for terrestrial biodiversity features	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
4	Terrestrial Biodiversity Compliance Statement The compliance statement must be prepared by a specialist registered with the	~
4.1	SACNASP and having expertise in the field of ecological sciences.	~
4.2	The compliance statement must:	
4.2.1	be applicable to the preferred site and proposed development footprint;	\
4.2.2	confirm that the site is of 'low' sensitivity for terrestrial biodiversity; and	<u> </u>
4.2.3	indicate whether or not the proposed development will have any impact on the	
4.2.)	biodiversity feature.	~
	2.0 a.v. c. 5.0) . ca ca. c.	
4.3	The compliance statement must contain, as a minimum, the following information:	
4.3.1	The <u>compliance statement must contain</u> , as a <u>minimum</u> , the following information: the contact details of the specialist, their SACNASP registration number, their field of	
4.3.1	The <u>compliance statement must contain, as a minimum</u> , the following information: the <u>contact details of the specialist, their SACNASP registration number</u> , their field of expertise and a curriculum vitae;	✓
4.3.1	the contact details of the specialist, their SACNASP registration number, their field of	~
	the <u>contact details of the specialist</u> , <u>their SACNASP registration number</u> , their field of expertise and a curriculum vitae;	Y Y
4.3.1	the <u>contact details of the specialist</u> , <u>their SACNASP registration number</u> , their field of expertise and a curriculum vitae; a <u>signed statement of independence</u> by the specialist;	
4.3.1	the <u>contact details of the specialist</u> , <u>their SACNASP registration number</u> , their field of expertise and a curriculum vitae; a <u>signed statement of independence</u> by the specialist; a <u>statement on the duration</u> , <u>date and season</u> of the site inspection and the	
4.3.1 4.3.2 4.3.3	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant;	~
4.3.1 4.3.2 4.3.3 4.3.4	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist that, in their opinion, based on the mitigation and remedial measures propped, the	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist that, in their opinion, based on the mitigation and remedial measures propped, the land can be returned to the current state within two years of completion of the	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5 4.3.6	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist that, in their opinion, based on the mitigation and remedial measures propped, the land can be returned to the current state within two years of completion of the construction phase;	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist that, in their opinion, based on the mitigation and remedial measures propped, the land can be returned to the current state within two years of completion of the construction phase; where required, proposed impact management outcomes or any monitoring	~
4.3.1 4.3.2 4.3.3 4.3.4 4.3.5 4.3.6	the contact details of the specialist, their SACNASP registration number, their field of expertise and a curriculum vitae; a signed statement of independence by the specialist; a statement on the duration, date and season of the site inspection and the relevance of the season to the outcome of the assessment; a baseline profile description of biodiversity and ecosystems of the site; the methodology used to verify the sensitivities of the terrestrial biodiversity features on the site, including equipment and modeling used, where relevant; in the case of a linear activity, confirmation from the terrestrial biodiversity specialist that, in their opinion, based on the mitigation and remedial measures propped, the land can be returned to the current state within two years of completion of the construction phase;	~

4.3.9	any conditions to which this statement is subjected.	EAP
4.4	A signed copy of the compliance statement must be appended to the Basic	FAP
	Assessment Report or Environmental Impact Assessment Report.	EAF

ANIMAL SPECIES SPECIALIST ASSESSMENT AND MINIMUM REPORT CONTENT REQUIREMENTS

1.1 An apply protocol sensitive Special An apply protocol for term Special Statem accordar 1.3 An apply protocol terrestry Statem 1.4 Where the screen species Animal 1.5 Where the screen screen in the screen in t	licant intending to undertake an activity identified in the scope of this ol, on a site identified by the screening tool as being of "very high" or "high" vity for terrestrial animal species must submit a Terrestrial Animal Species ist Assessment Report. licant intending to undertake an activity identified in the scope of this ol on a site identified by the screening tool as being of "medium sensitivity" restrial animal species must submit either a Terrestrial Animal Species ist Assessment Report or a Terrestrial Animal Species Compliance	REFERENCE
1.1 An apply protocol sensitive Special An apply protocol for term Special Statem accorda 1.3 An apply protocol terrestry Statem 1.4 Where the screen species Animal 1.5 Where the screen screen in the screen in th	licant intending to undertake an activity identified in the scope of this ol, on a site identified by the screening tool as being of "very high" or "high" vity for terrestrial animal species must submit a Terrestrial Animal Species ist Assessment Report. licant intending to undertake an activity identified in the scope of this ol on a site identified by the screening tool as being of "medium sensitivity" testrial animal species must submit either a Terrestrial Animal Species ist Assessment Report or a Terrestrial Animal Species Compliance	~
protoco for terr Special Statem accorda 1.3 An appl protoco terrestr Statem 1.4 Where the scree species Animal 1.5 Where the screeni	ol on a site identified by the screening tool as being of "medium sensitivity" restrial animal species must submit either a Terrestrial Animal Species list Assessment Report or a Terrestrial Animal Species Compliance	~
1.3 An apply protocol terrestry Statem 1.4 Where the screen species Animal 1.5 Where the screen s	ent, depending on the outcome of a site inspection undertaken in ance with paragraph 4.	
the scre species Animal 1.5 Where t screeni	licant intending to undertake an activity identified in the scope of this ol on a site identified by the screening tool as being of "low" sensitivity for rial animal species must submit a Terrestrial Animal Species Compliance tent.	✓
screeni	the information gathered from the site sensitivity verification differs from eening tool designation of "very high" or "high", for terrestrial animal sensitivity and it is found to be of a "low" sensitivity, then a Terrestrial Species Compliance Statement must be submitted.	✓
	the information gathered from the site sensitivity verification differs from the ingtool designation of "low" terrestrial animal species sensitivity and it is to be of a "very high" or "high" terrestrial animal species sensitivity, a crial Animal Species Specialist Assessment must be conducted.	~
"high" s "veryhi Develop the pro	art of the development falls within an area of confirmed "very high" or sensitivity, the assessment and reporting requirements prescribed for the igh" or "high" sensitivity, apply to the entire development footprint. pment footprint in the context of this protocol means, the area on which posed development will take place and includes the area that will be ed or impacted.	~
	restrial Animal Species Specialist Assessment and the Terrestrial Animal s Compliance Statement must be undertaken within the study area.	~
conserv	the nature of the activity is not expected to have an impact on species of vation concern (SCC) beyond the boundary of the preferred site, the study eans the proposed development footprint within the preferred site.	~
bounda determ	the nature of the activity is expected to have an impact on SCC beyond the ary of the preferred site, the <i>project areas of influence</i> (PAOI) must be nined by the specialist in accordance with Species Environmental Assessment ne ⁵ , and the study area must include the PAOI, as determined.	✓
	IIGH AND HIGH SENSITIVITY RATING for terrestrial animal species	
	rial Animal Species Specialist Assessment	
very H		

⁵ Available at https://bgis.sanbi.org/

⁶ Species with a geographically restricted area of distribution.

	 SCC listed on the IUCN Red List of Threatened Species⁷ or on South Africa's National Red List website⁸ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. 	
	 Confirmed habitat for SCC. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the 	~
	national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC.	
2.2.12	identify any <u>alternative development footprints</u> within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and verified through the site sensitivity verification.	~
2.3	The findings of the assessment must be written up in a Terrestrial Animal Species Specialist Assessment Report.	~
3	Terrestrial Animal Species Specialist Assessment Report	
3.1.13	a <u>motivation must be provided</u> if there were any development footprints identified asperparagraph 2.2.12 above that were identified as having "low" or "medium"	~
	terrestrial animal species sensitivity and were not considered appropriate.	
1	terrestrial animal species sensitivity and were not considered appropriate. MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION	
4	MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION	
4		✓
4.6	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for this species. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the 	~
	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for this species. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement must be submitted. 	
4.6	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for this species? SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement 	~
4.6	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for this species. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement must be submitted. 	~
4.6	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for thisspecies⁹. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement must be submitted. LOW SENSITIVITY RATING – for terrestrial animal species Terrestrial Animal Species Compliance Statement Areas where no natural habitat remains. Natural areas where there is no suspected occurrence of SCC. The compliance statement must be prepared by a SACNASP registered specialist under one of the two fields of practice (Zoological Science or Ecological Science). 	~
4.6	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for thisspecies⁹. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement must be submitted. LOW SENSITIVITY RATING – for terrestrial animal species Terrestrial Animal Species Compliance Statement Areas where no natural habitat remains. Natural areas where there is no suspected occurrence of SCC. 	*
4.6 4.7 5	 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION MEDIUM SENSITIVITY RATING – for terrestrial animal species: Suspected habitat for SCC based either on historical records (prior to 2002) or being a natural area included in a habitat suitability model for thisspecies⁹. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. Where SCC are found on site or have been confirmed to be likely present, a Terrestrial Animal Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol. Similarly, where no SCC are found on site during the site inspection or the presence is confirmed to be unlikely, a Terrestrial Animal Species Compliance Statement must be submitted. LOW SENSITIVITY RATING – for terrestrial animal species Terrestrial Animal Species Compliance Statement Areas where no natural habitat remains. Natural areas where there is no suspected occurrence of SCC. The compliance statement must be prepared by a SACNASP registered specialist under one of the two fields of practice (Zoological Science or Ecological Science). 	*

⁷ https://www.iucnredlist.org/

⁸ This category includes the categories Extremely Rare, Critically Rare and Rare

⁹ The methodology by which habitat suitability models have been developed are explained within the Species Environmental Assessment Guideline.

5.2.3	indicate whether or not the proposed development will have any impact on SCC.	~
5.3	The compliance statement ¹⁰ must contain, as a minimum, the following information:	~
5.3.1	contact details and relevant experience as well as the SACNASP registration number of the specialist preparing the compliance statement including a curriculum vitae;	✓
5.3.2	a signed statement of independence by the specialist;	~
5.3.3	a statement on the <u>duration</u> , <u>date and season</u> of the site inspection and the relevance of the season to the outcome of the assessment;	~
5.3.4	a description of the <u>methodology</u> used to undertake the site survey and prepare the compliance statement, including equipment and modelling used where relevant;	~
5.3.5	the mean <u>density of observations/ number of samples</u> sites per unit area ¹⁵ .	~
5.3.6	where required, <u>proposed impact management actions</u> and outcomes or any monitoring requirements for inclusion in the EMPr;	~
5.3.7	a <u>description of the assumptions made and any uncertainties or gaps</u> in knowledge or data; and	~
5.3.8	any conditions to which the compliance statement is subjected.	~
6	A <u>signed copy</u> of the Terrestrial Animal Species Compliance Statement must be appended to the Basic Assessment Report or the Environmental Impact Assessment Report.	~

PLANT SPECIES SPECIALIST ASSESSMENT AND MINIMUM REPORT CONTENT REQUIREMENTS

TABLE 1:	ASSESSMENT AND REPORTING OF IMPACTS ON TERRESTRIAL BIODIVERSITY	REPORT REFERENCE
1	General Information	
1.1	An applicant intending to undertake an activity identified in the scope of this protocol, on a site identified by the screening tool as being of "very high" or "high" sensitivity for terrestrial plant species must submit a Terrestrial Plant Species Specialist Assessment Report.	✓
1.2	An applicant intending to undertake an activity identified in the scope of this protocol on a site identified by the screening tool as being of "medium sensitivity" for terrestrial plant species must submit either a Terrestrial Plant Species Specialist Assessment Report or a Terrestrial Plant Species Compliance Statement, depending on the outcome of a site inspection undertaken in accordance with paragraph 4.	~
1.3	An applicant intending to undertake an activity identified in the scope of this protocol on a site identified by the screening tool as being of "low" sensitivity for terrestrial plant species must submit a Terrestrial Plant Species Compliance Statement.	~
1.4	Where the information gathered from the site sensitivity verification differs from the screening tool designation of "very high" or "high", for terrestrial plant species sensitivity and it is found to be of a "low" sensitivity, then a Terrestrial Plant Species Compliance Statement must be submitted.	~
1.5	Where the information gathered from the site sensitivity verification differs from the screening tool designation of "low" terrestrial plant species sensitivity and it is found to be of a "very high" or "high" terrestrial plant species sensitivity, a Terrestrial Plant Species Specialist Assessment must be conducted.	~
1.6	If any part of the development falls within an area of confirmed "very high" or "high" sensitivity, the assessment and reporting requirements prescribed for the "very high" or "high" sensitivity, apply to the entire development footprint. Development footprint in the context of this protocol means, the area on which the proposed development will take place and includes the area that will be	~

¹⁰ An example of a what is contained in a Compliance Statement for Animal Species Impact Assessment can be found in the Species Environmental Impact Assessment Guideline

Compiled by: Jamie Pote (Pr. Sci. Nat.)

1.7 The Terrestrial Plant Species Specialist Assessment and the Terrestrial Plant Species Compliance Statement must be undertaken within the study area. 1.8 Where the nature of the activity is not expected to have an impact on species of conservation concern (SCC) beyond the boundary of the preferred site, the study area means the proposed development footprint within the preferred site. 1.9 Where the nature of the activity is expected to have an impact on SCC beyond the boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 1 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species or on South Africa's National Red List website* as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3:1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3:1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivit		disturbed or impacted.	
1.8 Where the nature of the activity is not expected to have an impact on species of conservation concern (SCC) beyond the boundary of the preferred site, the study area means the proposed development footprint within the preferred site. 1.9 Where the nature of the activity is expected to have an impact on SCC beyond the boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 1 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species ¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species ¹³ or on South Africa's National Red List website ¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent 21% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and	1.7	The Terrestrial Plant Species Specialist Assessment and the Terrestrial Plant	~
conservation concern (SCC) beyond the boundary of the preferred site, the study area means the proposed development footprint within the preferred site. 1.9 Where the nature of the activity is expected to have an impact on SCC beyond the boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 2 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3,1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List 3,1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and		Species Compliance Statement must be undertaken within the study area.	
area means the proposed development footprint within the preferred site. 1.9 Where the nature of the activity is expected to have an impact on SCC beyond the boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 2 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and	1.8	· · · · · · · · · · · · · · · · · · ·	~
1.9 Where the nature of the activity is expected to have an impact on SCC beyond the boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 2 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			,
boundary of the preferred site, the project areas of influence (PAOI) must be determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 2 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. 1. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
determined by the specialist in accordance with Species Environmental Assessment Guideline", and the study area must include the PAOI, as determined. VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and	1.9		~
UERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
VERY HIGH AND HIGH SENSITIVITY RATING for terrestrial plant species 2 Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
Terrestrial Plant Species Specialist Assessment VERY HIGH SENSITIVITY RATING 1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and		·	
1. Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and	2	<u> </u>	
 Critical habitat for range-restricted species¹² of conservation concern, that have a global range of less than 10 km². SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING Confirmed habitat for SCC. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 	_		~
have a global range of less than 10 km². 2. SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List ₃.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List ₃.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
 SCC listed on the IUCN Red List of Threatened Species¹³ or on South Africa's National Red List website¹⁴ as Critically Endangered, Endangered or Vulnerable according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 		· · · · · · · · · · · · · · · · · · ·	
according to the IUCN Red List 3.1. Categories and Criteria or listed as Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
Nationally Rare. 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and		, and the second se	
 3. Species aggregations that represent ≥1% of the global population size of a species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. 2.3.12 identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 			
species, over a season, and during one or more key stages of its life cycle. 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and		·	
 4. The number of mature individuals that ranks the site among the largest 10 aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 			
aggregations known for the species. These areas are irreplaceable for SCC. HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
 HIGH SENSITIVITY RATING 1. Confirmed habitat for SCC. 2. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. 2.3.12 identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 			
 Confirmed habitat for SCC. SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 		These areas are irreplaceable for SCC.	
 SCC, listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and 			
National Red List website as Critically Endangered, Endangered or Vulnerable, according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
national category of Rare. These areas are unsuitable for development due to a very likely impact on SCC. 2.3.12 identify any alternative development footprints within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
These areas are unsuitable for development due to a very likely impact on SCC. 2.3.12 identify any <u>alternative development footprints</u> within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and			
2.3.12 identify any <u>alternative development footprints</u> within the preferred site which would be of "low" or "medium" sensitivity as identified by the screening tool and		- ·	
would be of "low" or "medium" sensitivity as identified by the screening tool and	2.3.12		~
verified through the site sensitivity verification.			
· · · · · · · · · · · · · · · · · · ·		*	
The findings of the assessment must be written up in a Terrestrial Plant Species	2.4	·	~
Specialist Assessment Report. 3 Terrestrial Plant Species Specialist Assessment Report		•	
	_	· · · · · · · · · · · · · · · · · · ·	•
3.1.13 a <u>motivation must be provided</u> if there were any development footprints identified asperparagraph 2.3.12 above that were identified as having "low" or "medium"	5.1.13	· · · · · · · · · · · · · · · · · · ·	
terrestrial plant species sensitivity and were not considered appropriate.			
4 MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION	4	MEDIUM SENSITIVITY SPECIES OF CONSERVATION CONCERN CONFIRMATION	
MEDIUM SENSITIVITY RATING – for terrestrial plant species:		MEDIUM SENSITIVITY RATING – for terrestrial plant species:	
1. Suspected habitat for SCC based either on there being records for this species		1. <u>Suspected habitat for SCC</u> based either on there being records for this species	~
collected in the past, prior to 2002, or <u>being a natural area included in a habitat</u>			
suitability model ¹⁵ .		suitability model ¹⁵ .	

¹¹ Available at https://bgis.sanbi.org/

¹² Species with a geographically restricted area of distribution.

¹³ https://www.iucnredlist.org/

¹⁴ This category includes the categories Extremely Rare, Critically Rare and Rare

¹⁵ The methodology by which habitat suitability models have been developed are explained within the Species Environmental Assessment Guideline.

	2. SCC listed on the IUCN Red List of Threatened Species or South Africa's National Red List website as Critically Endangered, Endangered or Vulnerable	
	according to the IUCN Red List 3.1. Categories and Criteria and under the national category of Rare.	
4.6	Where SCC <u>are found on site or have been confirmed</u> to be likely present, a Terrestrial Plant Species Specialist Assessment must be submitted in accordance with the requirements specified for "very high" and "high" sensitivity in this protocol.	~
4.7	Similarly, where <u>no SCC are found on site during the site inspection</u> or the presence is confirmed to be unlikely, a Terrestrial Plant Species Compliance Statement must be submitted.	~
5	LOW SENSITIVITY RATING – for terrestrial plant species	
	Terrestrial Plant Species Compliance Statement	~
	 Areas where no natural habitat remains. Natural areas where there is no suspected occurrence of SCC. 	
5.1	The compliance statement <u>must be prepared by a SACNASP registered specialist</u> under one of the two fields of practice (Botanical Science or Ecological Science).	~
5.2	The compliance statement must:	/
5.2.1	be applicable to the study area;	V
5.2.2	confirm that the study area, is of "low" sensitivity for terrestrial plant species; and	~
5.2.3	indicate whether or not the proposed development will have any impact on SCC.	V
5.3	The compliance statement ¹⁶ must contain, as a minimum, the following information:	~
5.3.1	contact details and relevant experience as well as the SACNASP registration number of the specialist preparing the compliance statement including a curriculum vitae;	~
5.3.2	a signed statement of independence by the specialist;	~
5.3.3	a statement on the <u>duration</u> , <u>date and season</u> of the site inspection and the relevance of the season to the outcome of the assessment;	~
5.3.4	a description of the <u>methodology</u> used to undertake the site survey and prepare the compliance statement, including equipment and modelling used where relevant;	~
5.3.5	where required, <u>proposed impact management actions</u> and outcomes or any monitoring requirements for inclusion in the EMPr;	~
5.3.6	a <u>description of the assumptions made and any uncertainties or gaps</u> in knowledge or data;	~
5.3.7	the mean density of observations/ number of samples sites per unit area17; and	~
5.3.8	any conditions to which the compliance statement is subjected.	~
6	A <u>signed copy</u> of the Terrestrial Plant SpeciesCompliance Statement must be appended to the Basic Assessment Report or the Environmental Impact Assessment Report.	~

¹⁶ An example of a what is contained in a Compliance Statement for Plant Species Impact Assessment can be found in the Species Environmental Impact Assessment Guideline

¹⁷ Refer to the Species Environmental Assessment Guideline

PAGE INTENTIONALLY LEFT BLANK

END